

FIG. 1





FIG. 2



This exploded perspective view illustrates the assembly of a mechanical device. The components are numbered as follows:

- 82**: A large, ribbed, cylindrical cap or knob at the top.
- 52**: A small, rectangular component, possibly a switch or sensor, located below the cap.
- 50**: A small, rectangular component, possibly a switch or sensor, located below the cap.
- 80**: A cylindrical component with a flange, located below the cap.
- 84**: A small, circular component, possibly a washer or gasket, located below the cylindrical component.
- 68**: A small, rectangular component, possibly a switch or sensor, located below the cylindrical component.
- 64**: A small, rectangular component, possibly a switch or sensor, located below the cylindrical component.
- 66**: A circular plate or base with several mounting holes.
- 86**: A circular plate or base with several mounting holes.
- 88**: A circular plate or base with several mounting holes.
- 56**: A coiled spring.
- 70**: A small, rectangular component, possibly a switch or sensor, located below the spring.
- 58**: A small, rectangular component, possibly a switch or sensor, located below the spring.
- 48**: A circular plate or base with several mounting holes.
- 42**: A circular plate or base with several mounting holes.
- 30**: A vertical rod or shaft with a flange.
- 40**: A bowl-shaped component with a flange.
- 36**: A small, rectangular component, possibly a switch or sensor, located below the bowl.
- 22**: A small, rectangular component, possibly a switch or sensor, located below the bowl.
- 64**: A small, rectangular component, possibly a switch or sensor, located below the bowl.
- 20**: A small, rectangular component, possibly a switch or sensor, located below the bowl.
- 28**: A small, rectangular component, possibly a switch or sensor, located below the bowl.
- 32**: A small, rectangular component, possibly a switch or sensor, located below the bowl.
- 26**: A small, rectangular component, possibly a switch or sensor, located below the bowl.
- 34**: A small, rectangular component, possibly a switch or sensor, located below the bowl.
- 60**: A small, rectangular component, possibly a switch or sensor, located below the bowl.
- 62**: A small, rectangular component, possibly a switch or sensor, located below the bowl.
- 68**: A small, rectangular component, possibly a switch or sensor, located below the bowl.

FIG. 4




FIG. 5





FIG. 6



Robert E. Thompson et al.

FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11



Thomas G. [REDACTED] III, Esq., WOLF, GREENFIELD & SACKS, P.C.,
Federal Reserve Plaza, 600 Atlantic Avenue,
Boston, MA 02210 Tel. (617) 720-3500
MEDIA CONTROL VALVE

Inventor or Identifier: Robert E. Thompson et al.





FIG. 12

Inventor or Identifier: Robert E. Thompson et al.

[illegible]